


## FTCS-M131X-02DXX 10Gbps 220m Multi Mode Datacom SFP+ Transceiver

### Features


- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



### Applications

- ◆
- ◆

### Product description



## Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit
				°
				°

## Recommended operating environment

Parameter	Symbol	Min.	Typical	Max	Unit
					°

LOW Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit

Electrical characteristics

Parameter	Conditions	Symbol	Min.	Typical	Max	Unit
Transmitter						
Receiver						

--	--	--	--	--

General Specifications

Parameter		Symbol	Min.	Typical	Max	Unit	Notes

Optical characteristics

Parameter	Symbol	Min.	Typical	Max	Unit	Notes
Transmitter						
Receiver						

Digital Diagnostic Functions

Parameter	Symbol	Min.	Max	Unit	Notes
Accuracy					
Dynamic Range Accuracy					




Figure 2: Interface to Host PCB




Figure 3: Module Contact Assignment

## Pin definition


Pin	Symbol	Name/Description


Notes:



# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下



**Figure6. Mechanical Specifications**

## Regulatory Compliance

Feature	Agency	Standard

Ordering information

Part Number	Product Description

References

Important Notice